

**PLANNING OF COLUMBIA BASIN
PACIFIC LAMPREY
PROJECTS AND NEEDS**

A REPORT TO
THE NORTHWEST POWER PLANNING COUNCIL
AND
BONNEVILLE POWER ADMINISTRATION

PREPARED BY
COLUMBIA BASIN PACIFIC LAMPREY
TECHNICAL WORK GROUP
FOR
COLUMBIA BASIN FISH AND WILDLIFE AUTHORITY

JULY 1999

PLANNING OF COLUMBIA BASIN PACIFIC LAMPREY PROJECTS AND NEEDS

TABLE OF CONTENTS

Background.....	1
Brief historical facts.....	1
Current status of populations and fisheries.....	2
Principle problems impacting populations	3
Goals	3
Ongoing projects.....	4
Proposed projects.....	4
Critical uncertainties/lamprey project needs	4
Discussion of proposed project needs and priorities	4
Table 1. Ongoing Columbia Basin Pacific Lamprey projects	7
Table 2. Proposed Columbia Basin Pacific Lamprey projects	9
Table 3. Critical uncertainties, goals and objectives for Columbia Basin Pacific Lamprey projects	10
Appendix A. Columbia Basin Pacific Lamprey Technical Workgroup	13
Appendix B. Draft Guidelines for Pacific Lamprey Transplantation and/or Artificial Propagation Actions funded under the Columbia Basin Fish and Wildlife Program	14

PLANNING OF COLUMBIA BASIN PACIFIC LAMPREY PROJECTS AND NEEDS A REPORT TO THE NORTHWEST POWER PLANNING COUNCIL – JULY 1999

Background

Severely declining Pacific lamprey populations throughout the Columbia River Basin has recently elevated the interest and concern of various entities. The tribes have expressed the most concern due to the cultural significance and lost traditional fishing opportunities.

In 1994, the Northwest Power Planning Council approved the first lamprey project in the Fish and Wildlife Program. The project proposed by the Confederated Tribes of the Umatilla Indian Reservation (CTUIR), called for research and restoration of Pacific lamprey throughout tribal ceded lands. In 1995, an initial product (Status Report of the Pacific Lamprey in the Columbia River Basin) was completed. Since that time, the CTUIR has continued the lamprey project with efforts directed at mainstem abundance monitoring, NE Oregon tributary population abundance documentation (past and present), development of genetic baseline information, basic migratory behavior, and artificial propagation techniques (capture, transport, holding, spawning). This information has been essential for development of a pilot pacific lamprey restoration plan in the Umatilla Basin. CTUIR hopes the plan, to be completed in 1999, will lead to lamprey restoration in the Umatilla and ultimately other subbasins.

Additional lamprey studies have been proposed for which has created uncertainties regarding what are priority lamprey needs and projects. The NPPC approved FY 99 funding for the ongoing CTUIR project but not others that were proposed, due to these uncertainties and also due to potential project duplication. This document is intended to help clarify the various lamprey project purposes and needs and assist the NPPC in making FY 2000 funding decisions.

Since the initiation of the CTUIR lamprey research and restoration project, a Columbia Basin Pacific lamprey technical work group (Appendix A) has been formed to discuss current issues and findings, coordinate ongoing project efforts, and define future project needs as requested by the NPPC. Numerous state, federal, university, and tribal entities have met approximately twice a year for the last three years. The most recent meeting (entitled “Columbia Basin Pacific Lamprey Workshop”) took place in Mission, Oregon on October 22 and 23, 1998. This report will utilize information resulting from the work groups meetings and information from FY 2000 proposals to discuss all ongoing and proposed Pacific lamprey research and restoration efforts and will identify what are believed to be priority needs.

Brief historical facts

- ◆ The Pacific lamprey are native to the Pacific Northwest and are believed to have inhabited most tributaries throughout the Columbia River Basin.
- ◆ The overall distribution of Pacific lamprey is from southern California to the Gulf of Alaska and inland to central Idaho.
- ◆ Former distribution was likely broader than anadromous salmonids due to the ability of lamprey to cling to rocks and pass around slides or falls.
- ◆ Pacific lamprey were and still are highly regarded culturally and religiously by Native American tribes. Former lamprey abundance provided tribal fishing opportunities throughout Columbia River Basin tributaries.

- ◆ Significant non-Indian lamprey collection at Willamette Falls for fish food processing in 1913 was documented at 27 tons. Commercial fishermen in the 1940's harvested 40 to 185 tons annually (100,000 to 500,000 adults) at Willamette Falls for use as vitamin oil, protein food for livestock, poultry, and fish meal.

Current status of populations and fisheries

- ◆ The current potential distribution of Pacific lamprey in the Columbia River and tributaries extends to Chief Joseph Dam and to Hells Canyon Dam on the Snake River.
- ◆ Although adult lamprey counting at mainstem Columbia and Snake River dams is not standardized and was sometimes restricted to certain hours, population trends indicate precipitous declines.

Pacific lamprey counts at Columbia and Snake River dams

Dam	Former counts	1997 counts
Bonneville	350,000 in early 60's	22,830
The Dalles	300,000 in early 60's	14,835
John Day	----	14,845
McNary	25,000 in early 60's	4,213
Ice Harbor	50,000 in early 60's	1,454
Lower Monumental	----	217
Little Goose	----	245
Lower Granite	----	1,274
Rock Island	----	2,321
Rocky Reach	17,500 twice in 60's	1,405
Wells	----	773

- ◆ Based on 1997 COE fish ladder passage estimates, there appears to be a 65% drop in Pacific lamprey abundance between Bonneville and The Dalles Dams which suggests a substantial portion of the lamprey run spawn in the following tributaries - Wind, Little White Salmon, White Salmon, Klickitat, and Hood rivers.
- ◆ Based on 1997 COE fish ladder passage estimates, there appears to be another large drop (72%) between John Day and McNary Dam counts which suggests that the John Day River may support a run of approximately 10,000 Pacific lamprey. Sampling of juvenile lamprey by CTUIR in NE Oregon streams has shown that the John Day basin has the highest juvenile densities relative to other subbasins.
- ◆ In the mid-Columbia, there is approximately a 40% drop in counts between Rock Island and Rocky Reach Dams indicating that a sizable Pacific lamprey population may persist in the Wenatchee River. However, fish counting at Tumwater Dam on the Wenatchee River during most of the last 10 years between May and September have not recorded lamprey movement. The fish could over-winter in the lower river and go upstream prior to salmon counting.

- ◆ Passage over the last dams in the Snake and Columbia rivers in 1997 appears to be seriously low. Only 3% of the Pacific lamprey that crossed Bonneville Dam were counted at Lower Granite Dam and approximately 6% crossed Wells Dam.
- ◆ Pacific lamprey population declines have reduced, eliminated, or relocated the once widespread tribal fisheries to Willamette Falls on the Willamette River. A small tribal fishery also sometimes occurs at Shears Falls on the Deschutes River, Fifteen Mile Creek and on the Klickitat River.
- ◆ ODFW currently issues permits for Indian and non-Indian subsistence and commercial fisheries at Willamette Falls
 - fishing occurs by hand-type methods only on east side of the horseshoe falls area
 - of 55 permits issued in 1997, 17 of those people (about one-half Indian and one-half non-Indian) sold fish for commercial purposes
 - a calculation of catch through buyers records indicated about 28,000 pounds of lamprey were harvested commercially at Willamette Falls in 1997
 - the average, annual commercial harvest since 1990 is 22,000 pounds
 - since recent catch is remaining stable and the fishery is closed over one-half of the falls area, ODFW has determined that current harvest is not a biological problem.

Principle problems impacting populations

Mainstem passage at dams - Similar to anadromous salmonids, hydroelectric dams along the Columbia and Snake rivers also create passage impediments for Pacific lamprey. Recent NMFS studies (funded by COE) utilizing radio telemetry in the lower Columbia River indicates that 40% of adult Pacific lamprey migrating to Bonneville Dam do not move upstream past the fishways. This problem multiplied by several dams is likely the main reason for the severe declines or possibly extirpation of Pacific lamprey in most mid to upper Columbia and Snake river tributaries. Juvenile lamprey outmigrants are also subjected to high mortality rates at hydroelectric projects. Although mortality percentages are not known, it is believed to be higher than salmonids due to lesser swimming ability of lamprey and resultant poor avoidance and increased impingement on bypass screens.

Poor habitat conditions in tributaries - Reduced instream flows in many tributaries has greatly impacted the natural production potential of Pacific lamprey. Dewatering or low flows in late spring and summer impacts adult upstream migration into tributaries. Low flows, poor riparian conditions and resultant high water temperatures have also reduced the quality and quantity of adult spawning and juvenile rearing areas.

Goals

Other than the Tribes, no entity has stated any specific lamprey restoration goals in fisheries management plans. The Wy-Kan-Ush-Mi-Wa-Kish-Wit states the goal: within 25 years, increase lamprey populations to naturally sustainable levels that also support tribal harvest opportunities. The CTUIR is utilizing the Umatilla Basin as a pilot project to test lamprey restoration techniques with the ultimate goal of reestablishing self sustaining natural producing populations which also provide for tribal fishing opportunities at traditional locations within the subbasin.

Ongoing projects

The Columbia Basin Pacific Lamprey Workshop identified the ongoing lamprey projects, sponsors, general tasks, and funding sources (see Table 1).

Proposed projects

The Columbia Basin Pacific Lamprey Workshop also identified information relevant to proposed lamprey projects. This information in addition to that provided in the FY 2000 BPA lamprey proposals is presented in Table 2.

Critical uncertainties/lamprey project needs

Attendees at the Columbia Basin Lamprey Workshop identified the following regarding Columbia Basin Pacific lamprey (all are priorities, no order identified):

- I. Estimate upstream migrant abundance at mainstem dams
- II. Upstream migration - mainstem passage success
- III. Downstream juvenile migration - mainstem passage success
- IV. Genetic database for population structure
- V. Species identification techniques
- VI. Juvenile and adult life histories - habitat requirements
- VII. Artificial propagation success - hatchery practices
- VIII. Pilot restoration actions in a tributary with associated M & E

To help assess the need for ongoing and proposed Pacific lamprey projects, a column was added in Tables 1 and 2 indicating which critical uncertainty or need listed above is addressed by each project.

Discussion of proposed project needs and priorities

If we assume that our long-range goal is to rehabilitate the population of Pacific lampreys in the Columbia River basin to self sustaining natural producing populations which also provide for fishing opportunities at traditional locations, the following general actions will need to be implemented:

1. We must identify the numbers and distributions of what we have currently.
2. We must identify the relative importance of factors limiting reproduction, primarily passage through dams (upstream and downstream) and habitat requirements of all life stages.
3. We must develop rehabilitation plans that include methods for collecting, transporting, and culturing Pacific lampreys
4. We must demonstrate rehabilitation is feasible by conducting controlled, designed studies in one stream.
5. We must initiate a long term monitoring program on the numbers of Pacific lampreys entering the Columbia River to assess our success or failure to increase the population.

The project critical uncertainties, I through VIII above, identified at the workshop are the subject of several ongoing and proposed projects. The workshop attendees agreed that all projects have a high priority considering the current status of lamprey populations.

Table 3 was developed to help the NPPC and project reviewers understand Columbia River Pacific lamprey project critical needs and ties to ongoing and proposed projects. There are more critical needs than there are approved projects. Also, one ongoing project listed does not mean it entirely meets the general objective need.

Due to the fact that Columbia Basin Pacific lamprey populations are believed to be extirpated or nearly so in many subbasins, transplantation and/or artificial propagation is expected to be necessary in many restoration efforts. The Columbia Basin Pacific lamprey technical work group developed draft (“working thoughts” – open to revision) guidelines for Pacific lamprey transplantation and/or artificial propagation (Appendix B). The first project expected to employ these guidelines is the Umatilla pilot subbasin restoration project 9402600.

Restoration of Pacific lampreys and fisheries in the Columbia River basin will require a substantial effort in terms of dollars and time. Total restoration of Pacific lampreys is probably closely linked with restoration of salmon populations and all of the complexities of habitat changes both in the rivers and in the ocean. However, if we make a few assumptions about Pacific lamprey populations based on what we know of other species, we can develop plans and implement demonstration projects where individual tributaries to the Columbia River could have rehabilitated populations of Pacific Lampreys. At the workshop, there seemed to be a consensus that priorities of future work should be based on both the information needs for large scale rehabilitation and for rehabilitation of lampreys in the Umatilla River. Conducting studies that will benefit both objectives should be given highest priority. A systematic, logical progression of studies needs to be continued to make the best use of limited research dollars leading to the most complete rehabilitation of Pacific lampreys that we can achieve.

Changes in aquatic habitats in the Columbia River Basin have resulted in declines in populations of several desirable fishes including Pacific lampreys. Because the wellbeing of Pacific lampreys is closely tied to the wellbeing of salmonids in other systems, it follows that if we improve conditions for salmonids in the Columbia River Basin, we will see an increase in the Pacific lamprey populations.

Passage of upstream migrating Pacific lampreys through fishways designed to pass salmonids is one issue that needs to be examined early in our plans. Problems encountered by downstream migrating Pacific lampreys might be similar to problems juvenile salmonids encounter.

This updated status report represents an initial assessment at what needs to be done concerning Pacific lampreys to facilitate their rehabilitation. As we conduct studies and learn more about lampreys in the Columbia River, we will likely need to modify our approach. Having a workshop periodically should allow that to happen. Having a meeting of researchers and others working on Pacific lampreys on an every other year schedule would keep the planning and evaluation process in an efficient mode. Producing list such as those in Tables 1, 2 and 3 on an annual basis will provide an index of how much progress we are making. An additional table should be included that lists reports and publications that have been produced since the Pacific lamprey rehabilitation effort was begun. Eventually this information could be set up in a WEB site that would allow frequent updating of lists.

Table 1. Ongoing Columbia Basin Pacific Lamprey projects

Sponsor	Funding	Project title	General project actions	Critical uncertainties and needs addressed
CTUIR/ CRITFC	BPA	Pacific Lamprey Research & Restoration (project #9402600)	<ul style="list-style-type: none"> • Monitor abundance & passage trends of adult lamprey at Columbia & Snake River dams • Develop a genetic database for determination of lamprey population structure in the Columbia Basin • Investigate adult lamprey homing fidelity back to initial capture sites • Document presence/absence and distribution of lamprey in NE Oregon & SE Washington subbasins • Develop pilot lamprey restoration plan for Umatilla subbasin • Begin initial restoration plan actions: 1) trap adults from John Day river; 2) evaluate lamprey hatchery practices while holding adults at USGS Cook, WA lab; 3) spawn adults, incubate eggs, rear & outplant prolarvea in Umatilla River; 4) monitor Umatilla River for juvenile survival and growth; 5) monitor lamprey migratory pheromone in water samples from the Umatilla & John Day rivers to better understand adult lamprey attraction into tributaries. 	<ul style="list-style-type: none"> • Adult abundance monitoring • Adult homing behavior • Genetic database • Life histories & habitat req. • Hatchery practices • Pilot restoration actions - M & E
NMFS/ U of Idaho	COE	Radio Telemetry of Adult Pacific Lamprey in the Lower Columbia River	<ul style="list-style-type: none"> • Evaluate passage of radio tagged adults below and at Bonneville Dam • Conduct laboratory evaluations of upstream movement through various augmented adult fishway structures 	Adult upstream migration success
USGS CRRL	COE	Characteristics of Upstream Migration of Pacific Lamprey in the Columbia River	Evaluate adult maturation & physiology of adult lamprey collected at Bonneville Dam	Adult upstream migration success Life histories
USGS CRRL	COE	Effects of Swimming & Exhaustive Stress in Pacific Lamprey: Implications for Upstream Migration Past Dams	Evaluate swimming performance, metabolic condition, and exhaustive stress to assess efficacy of current upstream fish passage facilities at Bonneville Dam.	Adult upstream migration success
USGS CRRL	USFWS	Evaluation of Tagging Techniques for Pacific Lamprey Ammocoetes & Macropthalmia	Evaluate effectiveness (tag retention & animal survival) of visible implant (V1) & PIT tags in juvenile lamprey.	Juvenile downstream migration success

Sponsor	Funding	Project title	General project actions	Critical uncertainties and needs addressed
USGS CRRL	USFWS	Validation of Statolith - based aging Techniques for Pacific Lamprey Ammocoetes & Macrophthalmia	Validate statolith-based aging techniques in laboratory & compare results to wild lamprey samples.	Life histories
U of Idaho	Misc	Genetic Analysis Pacific Lamprey	Receive tissue samples and conduct genetic analysis (generally a subcontractor under other studies)	Genetic database

Table 2. Proposed Columbia Basin Pacific Lamprey projects

Sponsor	Funding	Project title	General project actions	Critical uncertainties and needs addressed
IDFG	BPA	Evaluate Status of Lamprey in Clearwater River (#20019)	<ul style="list-style-type: none"> • Determine life history characteristics • Determine habitat requirements • Determine juv. & adult distribution • Develop & implement strategies to minimize impacts to habitat 	Life histories & habitat req.
USFWS	BPA	Evaluate Habitat Use and Population Dynamics of Lamprey in Cedar Creek (#20121)	<ul style="list-style-type: none"> • Estimate adult abundance & determine migration timing • Determine larval lamprey distribution & habitat use • Determine outmigrant timing & abundance • Eval. homing fidelity, surv. rates & ocean residence with CWT's • Rear ammocoetes to verify species identifications • Evaluate effects of PIT tagging juveniles in lab • Evaluate adult spawning habitat requirements • Sample & cap redds to determine egg & larvae survival & developmental timing 	<ul style="list-style-type: none"> • Life histories & habitat req. • Adult homing behavior • Species identification • Juv. tagging/migration success
USGS CRRL	BPA	Identification of larval Pacific lampreys, river lampreys, and western brook lampreys and thermal requirements of early life history stages of lampreys. (#20065)	<ul style="list-style-type: none"> • Spawn three species in captivity & determine diagnostic characteristics of each • Collect ammocoetes and hold through metamorphosis to verify identification techniques • Evaluate temperature effects on the survival and early development of three species 	<ul style="list-style-type: none"> • Species identification • Life histories & habitat req.
USGS CRRL	BPA	Upstream migration of Pacific lampreys in the John Day River: behavior, timing, and habitat preferences (#20064)	<ul style="list-style-type: none"> • Trap adults and use radio telemetry to determine lamprey movement to spawning • Describe overwintering & spawning habitat of radio tagged fish 	<ul style="list-style-type: none"> • Adult upstream migration success • Life histories & habitat req.
Battelle PNNL	COE	Evaluate juvenile lamprey passage at John Day Dam	Assess juvenile lamprey impingement and injury during screening/bypass and turbine passage	Juvenile downstream migration success

Table 3. Critical uncertainties, goals and objectives for Columbia Basin Pacific Lamprey projects

Critical questions/uncertainties	Goal statement	General objectives	Applicable projects ^{1/}
I. Current abundance	A. Annually determine numbers & distribution of current populations	1. Coordinate with entities conducting salmonid counts at mainstem dams to expand counts for adult lamprey abundance	O: 9402600 much more needed
		2. Estimate upstream migrant abundance in major tributaries	O:9402600 P: 20121
		3. Survey ammocoete populations in major tributaries and mainstem	O: 94002600 P: 20019 P: 20121
		4. Analyze population trends and distribution and develop a long term monitoring program to assess restoration success	Needed
II. Upstream migration -passage success.	A. Provide for safe adult passage at mainstem dams	1. Evaluate passage of radio tagged adults in mainstem	O: U of I - COE
		2. Conduct laboratory evaluations of upstream movement through various augmented adult fishway structures	O: U of I - COE
		3. Evaluate swimming performance, metabolic condition, and exhaustive stress to assess efficacy of current upstream fish passage facilities	O: USGS - COE
		4. Identify upstream passage impediments at mainstem dams	O: U of I - COE more needed
		5. Determine what devices or operational procedures will allow adult migration through dams without excessive mortality	O: U of I - COE more needed
	6. Implement appropriate passage improvements at mainstem dams	Needed	
B. Provide for safe adult passage in major tributaries	1. Identify upstream passage impediments in major tributaries 2. Determine solutions for passage impediments 3. Implement passage improvements in major tributaries	O: 9402600 (Umatilla) Needed	

Critical questions/uncertainties	Goal statement	General objectives	Applicable projects ^{1/}
III. Downstream migration - passage success	A. Provide for safe juvenile passage at mainstem dams	<ol style="list-style-type: none"> 1. Evaluate effectiveness of various tag types in juvenile lamprey 2. Identify downstream passage impediments at mainstem dams 3. Determine what devices or operational procedures will allow juvenile migration through dams without excessive mortality 4. Implement appropriate passage improvements at mainstem dams 	P: 20121 O: USGS - USFWS
			P: Battelle - COE (John Day Dam)
			Needed
			Needed
	B. Provide for safe juvenile passage in major tributaries.	<ol style="list-style-type: none"> 1. Identify downstream passage impediments in major tributaries 2. Determine solutions for passage impediments 3. Implement passage improvements in major tributaries 	Needed
			Needed
Needed			
IV. Genetic population structure	A. Develop understanding of Columbia Basin Pacific lamprey population structure.	<ol style="list-style-type: none"> 1. Develop a genetic database for determination of lamprey population structure 	O: 9402600
V. Lamprey species identification techniques.	A. Develop species identification techniques for larval lamprey (Pacific, river and western brook).	<ol style="list-style-type: none"> 1. Spawn and hold each lamprey species in captivity through metamorphosis to verify identification techniques 	P: 20065
VI. Life history, behavior and habitat requirements	A. Gain understanding of adult migration/homing behavior.	<ol style="list-style-type: none"> 1. Determine general migration behavior through radio tagging and genetic assessment techniques 2. Investigate adult migration attractant potential of pheromones emitted by larvae 3. Conduct large scale CWT or PIT tag homing/ocean survival study. 	O: 9402600
			O: 9402600
			Needed?
	B. Gain understanding of life history and habitat requirements for adult lamprey.	<ol style="list-style-type: none"> 1. Evaluate adult migration and holding & spawning habitat requirements 2. Sample and cap redds to determine egg & larvae survival & developmental timing 	P: 20064 P: 20121 P: 20121

Critical questions/uncertainties	Goal statement	General objectives	Applicable projects ^{1/}
	C. Gain understanding of life history and habitat requirements for larval lampreys.	<ol style="list-style-type: none"> 1. Validate statolith-based aging techniques 2. Evaluate effectiveness of various tag types in juveniles 3. Sample various tributaries to determine larvae distribution, life history characteristics, and habitat requirements 4. Sample juvenile outmigration in tributaries to determine timing and abundance 	O: USGS - USFWS O: 9402600 <hr/> P: 20121 O: USGS - USFWS <hr/> O: 9402600 P: 20121 P: 20019 <hr/> O: 9402600
VII. Artificial propagation and transplantation techniques & success	A. Develop transplantation and artificial propagation techniques for lamprey restoration in tributaries	<ol style="list-style-type: none"> 1. Evaluate capture and transport techniques of adults from donor site to hatchery or recipient stream 2. Evaluate hatchery practices for adult holding, spawning, and early rearing of pro larvae 	O: 9402600 <hr/> O: 9402600 P: 20065
VIII. Success of tributary restoration actions	A. Develop successful lamprey reintroduction/ restoration techniques for tributary application	<ol style="list-style-type: none"> 1. Develop pilot restoration plan for Umatilla subbasin 2. Implement and monitor pilot restoration actions in Umatilla subbasin 	O: 9402600 <hr/> O: 9402600

1/ P = proposed; O = ongoing; for BPA funded projects, the project number is given; for non BPA funded projects, the sponsor precedes the funding source.

Appendix A. Columbia Basin Pacific Lamprey Technical Workgroup

Name	Entity	Email address	Phone #	Fax #
Heidi Stubbers	NPT	Heidis@nezperce.org	208-843-2253	208-843-7310
George Lee	YIN	gdl@yakama.com	509-865-6262	509-865-6293
Patty O'Toole	CTWSRO	Potoole@mail.wstribes.org	541-553-3233	541-553-3359
Chris Brun	CTWSRO	Cbrun@netcnct.net	541-296-1041	541-296-8886
James Bronson	CTUIR	Prestonbronson@ctuir.com	541-276-4109	541-276-4348
Mike Gauvin	CTWSRO	Mgauvin@mail.wstribes.org	541-553-3233	541-553-3359
Gary James	CTUIR	Garyjames@ctuir.com	541-276-4109	541-276-4348
David Close	CTUIR	Davidclose@ctuir.com	541-276-4109	541-276-4348
Stan van de Wetering	SILETZ	Stanv@ctsi.nsn.us	541-444-8294	541-444-2307
Doug Hatch	CRITFC	Hatd@critfc.org	503-731-1263	503-235-4228
Kevin Kappenman	CRITFC	Kapk@critfc.org	503-731-1296	503-235-4228
Blaine Parker	CRITFC	Parb@critfc.org	503-731-1268	503-235-4228
Andre Talbot	CRITFC	Tala@critfc.org	503-731-1250	503-235-4228
Rudy Ringe	U of I	Rrringe@uidaho.edu	208-885-6400	208-885-9080
Ted Bjorn	U of I	Bjornm@uidaho.edu	208-885-7617	208-885-9080
Rob Chitwood	OSU	Chitwoor@ucs.orst.edu		
Mark Fritsch	NWPPC	Mfritsch@nwppc.org	503-222-5161	503-795-3370
Tom Rien	ODFW	Tom.a.rien@state.or.us	503-657-2000 ex. 404	503-657-6823
Eric Tinus	ODFW	Eric.tinus@state.or.us	503-657-2000 ex. 283	503-657-2095
Gary Fredricks	NMFS	Gary.fredricks@noaa.gov		
Larry Beck	COE	Larry.m.beck@nwp01.usace.army.mil	541-374-8801	541-374-8372
Robert Stansell	COE	Robert.j.stansell@nwp01.usace.army.mil	541-374-8801	541-374-8372
Cal Sprague	COE	Calvin.r.sprague@usace.army.mil	503-808-4305	541-808-4329
Gretchen Starke	COE	Gretchen.m.starke@nwp01.usace.army.mil	503-374-8801	
Rebecca Kalamasz	COE	Rebecca.l.kalamasz@usace.army.mil	509-527-7277	509-527-7832
Rick Jones	COE	Rick.l.jones@usace.army.mil	509-527-7281	509-527-7825
Sharon Kiefer	IDFG	Skiefer@idfg.state.id.us	208-334-3791	208-334-2114
Christopher Claire	IDFG	Cclaire@idfg.state.is.us	208-799-5010	
Travis Coley	USFWS	Travis_coley@mail.fws.gov	360-696-7605	360-696-7968
Scott Barndt	USFWS	Scott_barndt@fws.gov	360-696-7605 ex. 245	360-696-7968
Jennifer Bayer	USGS	Jennifer_bayer@usgs.gov	509-538-2299 ex. 273	509-538-2843
Craig Robinson	USGS	Craig_robinson@usgs.gov	509-538-2299 ex. 324	509-538-2843
James Seelye	USGS	Jim_seelye@usgs.gov	509-538-2299 ex. 263	509-538-2843
Ed Meyer	NMFS	Ed.meyer@noaa.gov	503-230-5411	503-231-2318
Lowell Stuehrenberg	NMFS	Lowell.stuehrenberg@noaa.gov	509-547-7518	509-547-4181
Monty Price	WDFW	Montyp@televar.com	509-282-3332	509-282-3392
Lori Spencer	WDFW	Spencerl@oregontrail.net	541-922-3630	541-922-4101
Rosanna Tudor	WDFW	Tudor@oregontrail.net	541-922-3630	541-922-4101
Jody Brostrom	IDFG	Jbrostro@idfg.state.id.us	208-799-5010	208-885-5012
Paul Hoffarth	WDFW	Hoffarth@oregontrail.net	541-922-3630	541-922-4101
Dennis Dauble	PNNL	dd.dauble@pnl.gov	509-376-3631	509-372-3515
Matt Powell	U of I	Fishdna@micron.net	208-837-9096	208-837-6047
Steve Richards	WDFW	Stevepr@owt.com	509-734-7187	509-734-7102
Mary Moser	NMFS	Mary.moser@noaa.gov	206-860-3277	
Miro Zyndol	COE	Miroslaw.a.zyndol@nwp01.usace.army.mil	541-506-7860	541-506-7865
Dave Jepsen	R2 Resource	Djepsen@r2usa.com	360-887-3216	
Daniel Domina	PGE	Daniel_domina@pgn.com	503-630-8232	503-630-8219
Leo Grandmontagne	WFFO	Lgwffo.gte.net	541-572-5146	541-572-2356
John Sanchez	USFS	Jasanchez@fs.fed.us	541-278-3819	541-278-3730
Bill Maslen for Docherty	BPA	wcmaslen@bpa.gov	503-230-5549	503-230-4564

Appendix B

DRAFT GUIDELINES FOR PACIFIC LAMPREY TRANSPLANTATION AND/OR ARTIFICIAL PROPAGATION ACTIONS FUNDED UNDER THE COLUMBIA BASIN FISH AND WILDLIFE PROGRAM

- 1) The target or recipient subbasin formerly (or currently) sustained a pacific lamprey population.
- 2) The problems which lead to the reduction or demise of pacific lamprey in a recipient subbasin have been addressed (dewatering, passage barriers, chemical treatments, etc.)
- 3) The existing recipient subbasin Pacific lamprey population has been determined to be below a level which could recover to self-sustainability with harvest.
- 4) Pacific lamprey removal (defined location, life history state, and number) from a subbasin donor population is determined to have insignificant impact on that population.
- 5) Disease clearance or screening has been conducted on the donor population and results have been approved by fish pathologist (similar to salmonid transfers).
- 6) The donor population was selected based on the following: 1) results of a Columbia Basin Pacific lamprey genetic database/stock structure study (being conducted under CTUIR project 9402600); 2) geographic locations of donor vs recipient subbasins (may not be a critical factor depending on outcome of genetic database/stock structure study); and 3) availability of stocks.
- 7) NEPA requirements have been addressed - if applicable.
- 8) ESA concerns/requirements have been addressed - if applicable.
- 9) Proposed action includes a monitoring and evaluation plan to determine effectiveness of action.